

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	3	"0852419"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/07 13:54
L2	0	"EP0852419"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/07 13:54
L3	1	"852419"	EPO	OR	ON	2011/01/07 13:55
L6	0	(magnetek.as. or power-one.as.) and (PLC.clm. or power.clm. adj line.clm.) same (echo.clm.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/07 15:04
L7	0	(frezzolini.in.) and (PLC.clm. or power.clm. adj line.clm.) same (echo.clm.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/07 15:05
L8	1	(frezzolini.in.) and (channel.clm.) and control.clm. and collect\$4.clm. and (id.clm. or identification\$3.clm. or address.clm.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/07 15:06
L9	0	(magnetek.as. or power-one.as.) and (channel.clm.) and control.clm. and collect\$4.clm. and (id.clm. or identification\$3.clm. or address.clm.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/07 15:07
L11	45	(power near3 line near3 communication) and echo same respon\$4 and @ad<"20030331"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/07 15:08

L12	36	(power near3 line near3 communication) and discovery same broadcast \$3 and @ad<"20030331"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/07 15:09
L13	0	(power near3 line near3 communication) and discovery same echo and @ad<"20030331"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/07 15:09
L14	0	(power near3 line near3 communication) and discovery same relay and @ad<"20030331"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/07 15:10
L15	36	(power near3 line near3 communication) and broadcast\$3 same relay and @ad<"20030331"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/07 15:10
L16	36	15 not 12	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/07 15:10
S4	2	"4692761".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/15 14:00
S5	237842	(Power line communication) or (power line carrier) or (PLC) or (Power line Digital Subscriber Line) or (PDSL) or (mains communication) or (power line telecom) or (PLT) or (power line networking) or (PLN)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/10/15 15:02
S6	1194	S5 and echo	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/10/15 15:03

S7	606	S5 and echo and address \$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/10/15 15:03
S8	229651	(Power line communication) or (power line carrier) or (PLC) or (Power line Digital Subscriber Line) or (PDSL) or (mains communication) or (power line telecom) or (PLT) or (power line networking) or (PLN) and "379".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/10/15 15:09
S9	198604	(Power line communication) or (power line carrier) or (PLC) or (power line networking) or (PLN) and "379".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/10/15 15:10
S10	1003	S9 and echo	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/10/15 15:15
S11	500	S9 and echo and address \$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/10/15 15:15
S12	742	((Power line communication) or (power line carrier) or (PLC) or (power line networking) or (PLN)) and "379".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/10/15 15:15
S13	22	S12 and echo and address \$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/10/15 15:16
S14	2163	((Power line communication) or (power line carrier) or (PLC) or (power line networking) or (PLN)) and "370".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/10/15 15:29

S15	110	S14 and echo and address \$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/10/15 15:30
S16	50	S14 and echo and address \$3 and @ad<"20030331"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/10/15 15:30
S17	8791	("x.10" or x10) or lonworks	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/16 12:32
S18	8328	("x.10" or x10) or lonworks and (power near4 line)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/16 12:32
S19	1161	((("x.10" or x10) or lonworks) and (power near4 line)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/16 12:32
S20	443	((("x.10" or x10) or lonworks) and (power near4 line) and (master or collector) and (control\$3 or slave)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/16 12:33
S21	234	((("x.10" or x10) or lonworks) and (power near4 line) and (master or collector) and (control\$3 or slave) and @ad<"20030331"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/16 12:33
S22	32	((("x.10" or x10) or lonworks) and (power near4 line) and (master or collector) and (control\$3 or slave) and (message near3 number) and @ad<"20030331"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/16 12:34

S23	23	((("x.10" or x10) or lonworks) and (power near4 line) and (address\$3 or id or identi\$8) same (data or message or updat \$3) same (message near3 number) and @ad<"20030331"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/16 12:40
S24	22	((("x.10" or x10) or lonworks) and (power near4 line) and (store-and-forward or (store near3 forward) or echo) and @ad<"20030331"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/16 12:50
S25	5	((("x.10" or x10) or lonworks) and (power near4 line) and (store-and-forward or (store near3 forward) or echo) same (id or identification or address \$3) and @ad<"20030331"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/16 12:50
S26	27	(power near4 line) same (store-and-forward or (store near3 forward) or echo) same (id or identification or address \$3) and @ad<"20030331"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/16 16:02
S28	13	(power near4 line near4 control\$3) same (store-and-forward or (store near3 forward) or echo) and @ad<"20030331"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/16 16:04
S29	69	(power near4 line near4 control\$3) same (data) same (repeat\$3) and @ad<"20030331"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/16 16:27
S30	9	(power near4 line near4 control\$3) same (data) same (repeat\$3) same address\$3 and @ad<"20030331"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/16 16:27
S31	0	(power near4 line near4 control\$3) same (series) same (echo\$3) same address\$3 and @ad<"20030331"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/16 16:34

S32	0	(power near4 line near4 control\$3) same (series) same (stor\$3 near3 forward) same address\$3 and @ad<"20030331"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/16 16:34
S33	0	(power near4 line near4 control\$3) same (series) same (stor\$3 near3 forward\$3) same address\$3 and @ad<"20030331"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/16 16:34
S34	0	(power near4 line near4 control\$3) same (stor\$3 near3 forward\$3) same address\$3 and @ad<"20030331"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/16 16:34
S35	22	(power near4 line near4 control\$3) and (stor\$3 near3 forward\$3) same address\$3 and @ad<"20030331"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/16 16:35
S36	2	(power near4 line near4 control\$3) and (store-and-forward) same address\$3 and @ad<"20030331"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/16 16:36
S37	24	frezzolini.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/20 10:57
S38	0	frezzolini.in. and (control.clm. and collector.clm.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/20 10:57
S39	1	frezzolini.in. and (control.clm. and collect\$3.clm.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/20 10:58
S40	7	magnetek.as. and (control.clm. and collect\$3.clm.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/20 11:00

S41	0	power-one.as. and (control.clm. and collect\$3.clm.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/20 11:07
S42	4	bridge.as. and (control.clm. and collect\$3.clm.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/20 11:08
S43	0	bank.as. and new.as. and york.as. and (control.clm. and collect\$3.clm.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/20 11:10
S44	2	"4692761".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/20 11:10
S45	238062	(Power line communication) or (power line carrier) or (PLC) or (Power line Digital Subscriber Line) or (PDSL) or (mains communication) or (power line telecom) or (PLT) or (power line networking) or (PLN)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/10/20 11:10
S46	229871	(Power line communication) or (power line carrier) or (PLC) or (Power line Digital Subscriber Line) or (PDSL) or (mains communication) or (power line telecom) or (PLT) or (power line networking) or (PLN) and "379".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/10/20 11:10
S47	198811	(Power line communication) or (power line carrier) or (PLC) or (power line networking) or (PLN) and "379".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/10/20 11:11

S48	502	S47 and echo and address \$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/10/20 11:11
S49	742	((Power line communication) or (power line carrier) or (PLC) or (power line networking) or (PLN)) and "379".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/10/20 11:11
S50	22	S49 and echo and address \$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/10/20 11:11
S51	2168	((Power line communication) or (power line carrier) or (PLC) or (power line networking) or (PLN)) and "370".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/10/20 11:11
S52	51	S51 and echo and address \$3 and @ad<"20030331"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/10/20 11:11
S53	8803	("x.10" or x10) or lonworks	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/20 11:11
S54	32	((("x.10" or x10) or lonworks) and (power near4 line) and (master or collector) and (control\$3 or slave) and (message near3 number) and @ad<"20030331"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/20 11:12
S55	5	((("x.10" or x10) or lonworks) and (power near4 line) and (store-and-forward or (store near3 forward) or echo) same (id or identification or address \$3) and @ad<"20030331"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/20 11:12

S56	22	(power near4 line near4 control\$3) and (stor\$3 near3 forward\$3) same address\$3 and @ad<"20030331"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/20 11:12
S57	2	(power near4 line near4 control\$3) and (store-and-forward) same address\$3 and @ad<"20030331"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/20 11:12
S58	216968	((Power line communication) or (power line carrier) or (PLC) or (power line networking) or (PLN))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/30 16:28
S59	1126	((Power line communication) or (power line carrier) or (PLC) or (power line networking) or (PLN)) and echo	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/30 16:28
S60	5	((Power line communication) or (power line carrier) or (PLC) or (power line networking) or (PLN)) and echo same (ttl or time-to-live or (time near3 live))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/30 16:36
S61	395	((((Power line communication) or (power line carrier)) and (PLC) or ((power line network\$3) and (PLN))) and "370". clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/30 16:42
S62	1	((((Power line communication) or (power line carrier)) and (PLC) or ((power line network\$3) and (PLN))) and echo same ttl	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/30 16:42
S63	589	((((Power line communication) or (power line carrier)) and (PLC) or ((power line network\$3) and (PLN))) and @ad<"20030331"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/30 16:43

S64	34	((Power line communication) or (power line carrier)) and (PLC) or ((power line network\$3) and (PLN)) and @ad<"20030331" and echo \$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/30 16:43
S65	34	((Power line communication) or (power line carrier)) and (PLC) or ((power line network\$3) and (PLN)) and @ad<"20030331" and echo \$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/30 16:43
S66	10	(US-20010024441-\$ or US-20040081201-\$ or US-20030103521-\$ or US-20020016639-\$ or US-20030055817-\$).did. or (US-7400264-\$ or US-7173938-\$ or US-6611537-\$ or US-4703306-\$ or US-4692761-\$).did.	US-PGPUB; USPAT	OR	ON	2010/05/03 11:05
S67	6	S66 and echo	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/03 11:05
S68	1	S66 and ttl	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/03 11:25
S69	3	S66 and timeout	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/03 11:25
S70	1	S66 and time-out	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/03 11:25
S71	568	echo near3 ((req or request) and (res or response))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/03 12:50

S72	19	echo near3 ((req or request) and (res or response)) same (master ans slave)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/03 12:50
S73	5	echo near3 ((req or request) and (res or response)) same (master ans slave) and @ad<"20030331"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/03 12:51
S74	28	echo near3 ((req or request) and (res or response)) same (ttl or timeout or time-out) and @ad<"20030331"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/03 12:53
S75	7	repeater same ((req or request) and (res or response)) same (ttl or timeout or time-out) and @ad<"20030331"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/03 13:09
S76	0	repeater same (reply) same (ttl or timeout or time-out) and @ad<"20030331"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/03 13:57
S77	69	repeat\$3 same (reply) same (ttl or timeout or time-out) and @ad<"20030331"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/03 13:57
S78	25	repeat\$3 same (reply) with (ttl or timeout or time-out) and @ad<"20030331"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/03 13:58
S79	0	(power near3 line near3 communication) same echo same respon\$4 and @ad<"20030331"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/21 11:11
S80	45	(power near3 line near3 communication) and echo same respon\$4 and @ad<"20030331"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/21 11:11

S82	298	(power near3 line near3 communication) and repeat \$3 same respon\$4 and @ad<"20030331"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/21 12:31
S83	1	(power near3 line near3 communication) and repeat \$3 same respon\$4 same echo and @ad<"20030331"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/21 12:31
S84	16	(power near3 line near3 communication) and repeat \$3 same respon\$4 same retr\$3 and @ad<"20030331"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/21 12:32
S85	4	repeat\$3 same respon\$4 same retr\$3 near4 total and @ad<"20030331"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/21 12:41
S86	92	(max\$1 or maximum) near4 (retr\$3) near3 (number or total) near4 (terminal or node or device or unit)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/21 12:54
S87	45	(max\$1 or maximum) near4 (retr\$3) near3 (number or total) near4 (terminal or node or device or unit) and @ad<"20030331"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/21 12:55
S88	32	(("x.10" or x10) or lonworks) and (power near4 line) and (master or collector) and (control\$3 or slave) and (message near3 number) and @ad<"20030331"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/21 13:36
S89	23	(("x.10" or x10) or lonworks) and (power near4 line) and (address\$3 or id or identi\$8) same (data or message or updat \$3) same (message near3 number) and @ad<"20030331"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/21 13:36

S90	2404	((Power line communication) or (power line carrier) or (PLC) or (power line networking) or (PLN)) and "370".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/05/21 13:37
S91	52	S90 and echo and address \$3 and @ad<"20030331"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/05/21 13:37
S92	22	(power near4 line near4 control\$3) and (stor\$3 near3 forward\$3) same address\$3 and @ad<"20030331"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/21 13:37
S93	7	repeater same ((req or request) and (res or response)) same (ttl or timeout or time-out) and @ad<"20030331"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/21 13:37
S94	25	repeat\$3 same (reply with (ttl or timeout or time-out) and @ad<"20030331"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/21 13:37
S95	0	frezolini.in. and (control.clm. and collector.clm.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/21 13:37
S96	24	frezolini.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/21 13:37
S97	1	frezolini.in. and (id.clm. or identif\$3.clm. or identification.clm.) same (response.clm. or repl\$3.clm.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/21 13:39
S98	0	magnetek.as. and (id.clm. or identif\$3.clm. or identification.clm.) same (response.clm. or repl\$3.clm.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/21 13:40

S99	0	power-one.as. and (id.clm. or identif\$3.clm. or identification.clm.) same (response.clm. or repl\$3.clm.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/21 13:40
S100	2	bridge.as. and (id.clm. or identif\$3.clm. or identification.clm.) same (response.clm. or repl\$3.clm.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/21 13:40
S101	0	bank.as. and new.as. and york.as. and trust.as. and (id.clm. or identif\$3.clm. or identification.clm.) same (response.clm. or repl\$3.clm.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/21 13:41

1 / 7 / 2011 3:14:34 PM

C:\ Documents and Settings\ jcostin\ My Documents\ EAST\ Workspaces\ 10551592.wsp